


## Kitchen & Bath Catalog







At Dakota<sup>™</sup> Plumbing Products, LLC, we are dedicated to delivering products with a lifetime of quality and durability.

Our customer service is a key element to our success. Maintaining the highest standard of excellence allows us to surpass the expectations of our ever-changing markets.

We carry a wide selection of kitchen and bathroom fixtures and accessories. You will find a choice for builders, designers and homeowners alike.

With Dakota™, you get it all!

follow us online @dakotaplumbingproducts

f 
DakotaSinks.com

SIGNATURE COLLECTION	4-53
S-SERIES Slanted Ledge Sinks	4-5
L-SERIES Flat Ledge Sinks	6-7
M-SERIES Micro Radius Sinks	8-13
Z-SERIES Zero Radius Sinks	14-19
R-SERIES Standard Radius Sinks	
ELEMENTS SERIES Exotic Material Sinks	
KITCHEN FAUCETS	
BATHROOM FAUCETS	
TUBS & TOILETS	
BUILDERS COLLECTION	54-69
GENESIS SERIES M Micro Radius Sinks	
GENESIS SERIES Z Zero Radius Sinks	
GENESIS SERIES R Standard Radius Sinks	
GENESIS SERIES E Quartz Composite Sinks	
UNIVERSAL SERIES Porcelain Bathroom Sinks	
OTTIVE TO THE OPENIES TO CONTAIN SUMMON SUMM	
HOME ACCESSORIES	70-72
KITCHEN UTENSILS & FIXTURES	
GARBAGE DISPOSALS	
C/ ((C)/ (C) DIO CO/ (L)	
COMMERCIAL COLLECTION	73-78
• TUB & SHOWER	
• TOILETS.	
FIXTURES Faucets and Tub & Shower Sets	
TIXTOREO FORGERS WHO TOD & SHOWER SOIS	7 0
PRODUCT INFORMATION	79-81
WARRANTY INFORMATION	
CARE INSTRUCTIONS	

## S-Series



All Signature Collection Stainless Steel Kitchen\* and Bar\*\* Sinks come with appropriate Bottom Grid(s), Strainer, and an additional Accessory Kit!



## Premium Quality Stainless Steel 16g Slanted Ledge Sinks

# Signature COLLECTION



#### **DSS-5050**

33" x 20" x 10" 16 gauge Slanted Ledge 50/50 Bowl Undermount Kitchen\* Sink ‡As shown on page 4







**DSS-6040** 33" x 20" x 10"

16 gauge Slanted Ledge 60/40 Bowl Undermount Kitchen\* Sink







#### **DSS-3218**

32" x 18" x 10" 16 gauge Slanted Ledge Single Bowl Undermount Kitchen\* Sink







#### **DSS-3018**

30" x 18" x 10"
16 gauge
Slanted Ledge
Single Bowl
Undermount
Kitchen\* Sink







#### **DSS-2318**

23" x 18" x 10" 16 gauge Slanted Ledge Single Bowl Undermount Kitchen\* Sink








# L-Series



All Signature Collection Stainless Steel Kitchen\* and Bar\*\* Sinks come with appropriate Bottom Grid(s), Strainer, and an additional Accessory Kit!



## Premium Quality Stainless Steel 16g Flat Ledge Sinks





#### **DSL-5050LD**

33" x 20" x 10"
16 gauge
Flat Ledge
50/50 Low Divide Bowl
Undermount
Kitchen\* Sink







#### **DSL-6040LD**

33" x 20" x 10"
16 gauge
Flat Ledge
60/40 Low Divide Bowl
Undermount
Kitchen\* Sink







#### **DSL-3620**

36" x 20" x 10" 16 gauge Flat Ledge Single Bowl Undermount Kitchen\* Sink







#### **DSL-3320**

33" x 20" x 10" 16 gauge Flat Ledge Single Bowl Undermount Kitchen\* Sink







#### **DSL-3020**

30" x 20" x 10"
16 gauge
Flat Ledge
Single Bowl
Undermount
Kitchen\* Sink
‡As shown on page 6






## L-Series Sinks Include Colander & Cutting Board



# M-Series



All Signature Collection Stainless Steel Kitchen\* and Bar\*\* Sinks come with appropriate Bottom Grid(s), Strainer, and an additional Accessory Kit!



### Premium Quality Stainless Steel 16g Micro Radius Sinks

# Signature



#### **DSM-A5050**

33" x 20" x 10" 16 gauge Apron Front 50/50 Bowl Undermount Kitchen\* Sink



#### DSM-BGA5050 (SET)





DSMRA5050



DSM-A6040

33" x 20" x 10" 16 gauge Apron Front 60/40 Bowl Undermount Kitchen\* Sink



DSM-BGA6040 (SET)








#### DSM-A3620

36" x 20" x 10" 16 gauge Apron Front Sinale Bowl Undermount Kitchen\* Sink








DSMRA3620



### **DSM-A3320**

33" x 20" x 10" 16 gauge Apron Front Single Bowl Undermount Kitchen\* Sink







#### **DSM-A3020**

30" x 20" x 10" 16 gauge Apron Front Single Bowl Undermount Kitchen\* Sink





DSMRA3020



Strainer and Bottom Grid(s) are included in all Dakota<sup>†M</sup> Signature Stainless Steel Kitchen\* and Bar\*\* Sinks.





#### DSM-6040

32" x 18" x 10" 16 gauge Straight Cut 60/40 Bowl Undermount Kitchen\* Sink









DSMR6040



DSM-4060

32" x 18" x 10" 16 gauge Straight Cut 40/60 Bowl Undermount Kitchen\* Sink



**Brushed Nickel Gunmetal Black** Copper Silver

Gold

**Available Finish** 

Copper

Silver

Gold

**Brushed Nickel** 

Gunmetal Black







DSMR4060



#### DSM-7030

32" x 18" x 10" 16 gauge Straight Cut 70/30 Bowl Undermount Kitchen\* Sink







DSMR7030



#### **DSM-3070**

32" x 18" x 10" 16 gauge Straight Cut 30/70 Bowl Undermount Kitchen\* Sink †Special Order








DSMR3070



#### DSM-5050

32" x 18" x 10" 16 gauge Straight Cut 50/50 Bowl Undermount Kitchen\* Sink





DSMR5050



#### DSM-3218

32" x 18" x 10" 16 gauge Single Bowl Undermount Kitchen\* Sink







DSMR3218

Copper

Silver

Gold

## Premium Quality Stainless Steel 16g Micro Radius Sinks

# Signature COLLECTION



#### DSM-6040-1

30-3/4" x 20" x 10" 16 gauge Offset 60/40 Bowl Undermount Kitchen\* Sink



Silver

Gold





DSMR6040-1



#### DSM-4060-1

30-3/4" x 20" x 10" 16 gauge Offset 40/60 Bowl Undermount Kitchen\* Sink



DSM-BG6040-1 (SET)





DSMR4060-



#### **DSM-5050LD**

32" x 18" x 10" 16 gauge Straight Cut 50/50 Low Divide Undermount Kitchen\* Sink








DSMR5050LD



#### **DSM-6040LD**

32" x 18" x 10" 16 gauge Straight Cut 60/40 Low Divide Undermount Kitchen\* Sink





DSMR6040LD



#### DSM-3018

30" x 18" x 10" 16 gauge Single Bowl Undermount Kitchen\* Sink <sup>‡</sup>As shown on page 8






DSMR3018



#### DSM-2718

27" x 18" x 10" 16 gauge Single Bowl Undermount Kitchen\* Sink





DSMR2718





DSM-2321 23" x 21" x 10" 16 gauge Single D-Bowl Undermount Kitchen\* Sink







DSMR2321



**DSM-2318** 23" x 18" x 10" 16 gauge Single Bowl Undermount Kitchen\* Sink







DSM-1915 19" x 15" x 10" 16 gauge Single Bowl Undermount Bar\*\* Sink







DSM-BG1915

DSM-1616 16" x 16" x 10" 16 gauge Single Bowl Undermount Bar\*\* Sink







DSMR1616



### DAKOTATM SIGNATURE BAR\*\* KITS INCLUDE:

- SILICONE GRIPPED BAMBOO CUTTING BOARD
- HAND TOWEL
- WINE CORKSCREW

# HERE'S WHAT COMES IN YOUR 11 PIECE KITCHEN\* KIT

- BAMBOO CHOPPING BLOCK
- HAND TOWEL
- HERB CUTTING SHEARS
- OVEN MITT
- POT HOLDER
- ROLL-UP DRYING RACK


- SILICONE BAKING SHEET
- SINK SQUEEGEE
- SOAP DISPENSER
- SPONGE HOLDER
- WINE CORKSCREW



# **Z-Series**



All Signature Collection Stainless Steel Kitchen\* and Bar\*\* Sinks come with appropriate Bottom Grid(s), Strainer, and an additional Accessory Kit!



### Premium Quality Stainless Steel 16g Zero Radius Sinks

# Signature



#### **DSZ-A5050**

33" x 20" x 10" 16 gauge Apron Front 50/50 Bowl Undermount Kitchen\* Sink



DSZ-BGA5050 (SET)





DSZRA5050



#### DSZ-A6040

33" x 20" x 10" 16 gauge Apron Front 60/40 Bowl Undermount Kitchen\* Sink



DSZ-BGA6040 (SET)





DSZRA6040



### DSZ-A3620

36" x 20" x 10" 16 gauge Apron Front Single Bowl Undermount Kitchen\* Sink






DSZRA3620



#### **DSZ-A3320**

33" x 20" x 10" 16 gauge Apron Front Single Bowl Undermount Kitchen\* Sink





DSZRA3320



#### **DSZ-A3020**

30" x 20" x 10"
16 gauge
Apron Front
Single Bowl
Undermount
Kitchen\* Sink
‡As shown on page 14





DSZRA3020



Strainer and Bottom Grid(s) are included in all Dakota<sup>TM</sup> Signature Stainless Steel Kitchen\* and Bar\*\* sinks.





#### **DSZ-6040**

32" x 18" x 10" 16 gauge Straight Cut 60/40 Bowl Undermount Kitchen\* Sink









#### **DSZ-4060**

32" x 18" x 10" 16 gauge Straight Cut 40/60 Bowl Undermount Kitchen\* Sink



GSZ-BG6040 (SET)





DSZR4060



#### **DSZ-7030**

32" x 18" x 10" 16 gauge Straight Cut 70/30 Bowl Undermount Kitchen\* Sink









DSZR7030



**DSZ-3070** 

32" x 18" x 10" 16 gauge Straight Cut 30/70 Bowl Undermount Kitchen\* Sink









DSZR3070



#### **DSZ-5050**

32" x 18" x 10" 16 gauge Straight Cut 50/50 Bowl Undermount Kitchen\* Sink



DSZ-BG5050 (SET)





DSZR5050



**DSZ-3218** 

32" x 18" x 10" 16 gauge Single Bowl Undermount Kitchen\* Sink





DSZR3218

## Premium Quality Stainless Steel 16g Zero Radius Sinks

# Signature



#### DSZ-6040-1

30-3/4" x 20" x 10" 16 gauge Offset 60/40 Bowl Undermount Kitchen\* Sink



Brushed Nickel

**Gunmetal Black** 

Copper

Silver

Gold

DSZ-BG6040-1 (SET)





DSZR6040-1



#### DSZ-4060-1

30-3/4" x 20" x 10" 16 gauge Offset 40/60 Bowl Undermount Kitchen\* Sink



DSZ-BG6040-1 (SET)






DSZR4060-



#### **DSZ-5050LD**

32" x 18" x 10" 16 gauge Straight Cut 50/50 Low Divide Undermount Kitchen\* Sink





DSZR5050LD



#### DSZ-6040LD

32" x 18" x 10" 16 gauge Straight Cut 60/40 Low Divide Undermount Kitchen\* Sink






DSZR6040LD



#### **DSZ-3018**

30" x 18" x 10" 16 gauge Single Bowl Undermount Kitchen\* Sink






DSZR3018

27" x 18" x 10" 16 gauge Single Bowl Undermount Kitchen\* Sink

**DSZ-2718** 

Available Finish **Brushed Nickel** Gunmetal Black Copper Silver Gold







**DSZ-2321** 

23" x 21" x 10" 16 gauge Single D-Bowl Undermount Kitchen\* Sink







**DSZ-2318** 

23" x 18" x 10" 16 gauge Single Bowl Undermount Kitchen\* Sink











**DSZ-1915** 

19" x 15" x 10" 16 gauge Single Bowl Undermount Bar\*\* Sink









**DSZ-1616** 

16" x 16" x 10" 16 gauge Single Bowl Undermount Bar\*\* Sink







DSZR1616



### DAKOTATM SIGNATURE BAR\*\* KITS INCLUDE:

- SILICONE GRIPPED BAMBOO CUTTING BOARD
- HAND TOWEL
- WINE CORKSCREW

# HERE'S WHAT COMES IN YOUR 11 PIECE KITCHEN\* KIT

- BAMBOO CHOPPING BLOCK
- HAND TOWEL
- HERB CUTTING SHEARS
- OVEN MITT
- POT HOLDER
- ROLL-UP DRYING RACK

- SILICONE BAKING SHEET
- SINK SQUEEGEE
- SOAP DISPENSER
- SPONGE HOLDER
- WINE CORKSCREW



## R-Series



All Signature Collection Stainless Steel Kitchen\* and Bar\*\* Sinks come with appropriate Bottom Grid(s), Strainer, and an additional Accessory Kit!



## Premium Quality Stainless Steel 16g Standard Radius Sinks

# Signature



**DSR-5050** 32-1/4" x 18-1/2" x 9" 16 gauge Straight Cut 50/50 Bowl

Undermount

Kitchen\* Sink

DSR-BG5050 (SET)



DS-5050



**DSR-5050LD** 32-1/4" x 18-7/8" x 9" 16 gauge Low Divide Straight Cut 50/50 Bowl Undermount Kitchen\* Sink <sup>‡</sup>As shown on page 20





DS-5050LD



**DSR-6040** 32" x 20-3/4" x 9" 16 gauge Offset 60/40 Bowl Undermount Kitchen\* Sink







DS-6040



**DSR-4060** 32" x 20-3/4" x 9" 16 gauge Offset 40/60 Bowl Undermount Kitchen\* Sink







DS-4060



**DSR-7030** 31-1/2" x 20-1/2" x 9(7)" 16 gauge Offset 70/30 Bowl Undermount Kitchen\* Sink

DSR-BG7030 (SET)





DS-7030



**DSR-3070** 31-1/2" × 20-1/2" × 7(9)" 16 gauge Offset 30/70 Bowl Undermount Kitchen\* Sink

DSR-BG7030 (SET)







DS-3070





**DSR-3218** 32" x 18" x 9" 16 gauge Single Bowl Undermount Kitchen\* Sink





DS-3218



**DSR-3018** 30" x 18-1/8" x 9" 16 gauge Single Bowl Undermount Kitchen\* Sink







**DSR-3319** 32-1/2" x 18-5/8" x 9" 16 gauge Single D-Bowl Undermount Kitchen\* Sink



DS-3319



**DSR-2321** 23-1/4" x 20-7/8" x 9" 16 gauge Single D-Bowl Undermount Kitchen\* Sink



DS-2321



**DSR-3121** 31-1/2" x 21-1/8" x 9" 16 gauge Single Bowl Undermount Kitchen\* Sink



DS-3121



**DSR-2718** 27" x 18" x 9" 16 gauge Single Bowl Undermount Kitchen\* Sink





## Premium Quality Stainless Steel 16g Standard Radius Sinks

# Signature



**DSR-2318** 23-3/4" x 17-3/4" x 9" 16 gauge Single Bowl Undermount Kitchen\* Sink



DS-2318



**DSR-1915** 18" x 15" x 7" 16 gauge Single Bowl Undermount Bar\*\* Sink







DS-1616

**DSR-1812** 12-1/2" x 18" x 7" 16 gauge Single Bowl Undermount Bar\*\* Sink





DS-1812



**DSR-167R** ø17-1/8" x 7" 16 gauge Single Bowl Undermount Bar\*\* Sink



DS-167R



**DSR-1616** 16" x 16" x 8" 16 gauge Single Bowl Undermount Bar\*\* Sink



**DSR-1513** 14-1/2" x 13" x 7" 16 gauge Single Bowl Undermount Bar\*\* Sink



DSR-BG1513





**DSR-918** 9-1/2" x 18" x 7" 16 gauge Single Bowl Undermount Bar\*\* Sink




DS-918

## Elements



Dakota's Signature Elements Series includes sinks made of Exotic Materials such as Hammered Copper, Fire Clay, Natural Stone and more!



## Premium Quality Sinks Made from Exotic Materials

# Signature



#### DSE-HCA5050

33" x 20" x 10" Apron Front 50/50 Bowl Undermount Hammered Copper<sup>§</sup> Kitchen Sink







DSCHA-5050



#### DSE-HCA3320

33" x 20" x 10" Apron Front Single Bowl Undermount Hammered Copper<sup>§</sup> Kitchen Sink





DSCHA-3320

<sup>‡</sup>As shown on page 24



#### **DSE-HC5050**

32" x 18" x 10" Straight Cut 50/50 Bowl Undermount Hammered Copper<sup>§</sup> Kitchen Sink







DSCH-5050



#### **DSE-HC3218**

32" x 18" x 10" Single Bowl Undermount Hammered Copper<sup>§</sup> Kitchen Sink





DSCH-3218



#### **DSE-HC2318**

23" x 18" x 10"
Single Bowl
Undermount
Hammered Copper<sup>§</sup>
Kitchen Sink

DSE-BGHC2318





DSCH-2318



#### **DSE-HC1816**

18" x 16" x 10" Single Bowl Undermount Hammered Copper<sup>§</sup> Bar Sink







DSCH-1816





#### **DSE-HCTM17R**

Ø17" x 6-1/2" Single Bowl Topmount Hammered Copper Vessel Sink



Signature Elements Copper§ Kitchen Sinks come with an 8 Piece Accessory Kit. Bottom Grid(s) and a Strainer are also included!



DSCH-TM17R



#### DSE-HCL1913

19" x 13" x 8" Single Bowl Undermount with Overflow Hammered Copper Lavatory Sink



DSCHL-1913



#### DSE-HCL1714

17" x 14" x 7" Single Bowl Topmount No Overflow Hammered Copper Lavatory Sink



DSCHL-1714

## Signature Elements Copper§ Kits Include:

- Silicone Baking Mat
- Herb Cutting Shears
- Wine Corkscrew
- Pot Holder

- Bamboo Chopping Block
- Sink Squeegee
- Silicone Covered Oven Mitt
- Kitchen Hand Towel

### Premium Quality Sinks Made from Exotic Materials

# Signature COLLECTION





#### **DSE-FCA5050S**

33-1/4" x 17-15/16" x 10" 50/50 Bowl Reversible Apron Front Face 1) Scalloped Face 2) Double Pin-Striped Fire Clay Kitchen Sink







#### DSE-FCA3320


33-1/8" x 19-7/8" x 8-5/8" Single Bowl Reversible Apron Front Face 1) Flat Face 2) Flat Fire Clay Kitchen Sink



#### DSE-FCA3019

30-1/8" x 19-15/16" x 10" Single Bowl Reversible Apron Front Face 1) 3/4 Frame Face 2) Flat Fire Clay Kitchen Sink







#### 29-15/16" x 17-7/8" x 10" Single Bowl Reversible Apron Front

Face 1) Scalloped Face 2) Double Pin-Striped Fire Clay Kitchen Sink




#### DSE-FCA2416

23-13/16" x 15-15/16" x 7-3/4" Single Bowl Reversible Apron Front Face 1) Flat Face 2) Flat Fire Clay Kitchen Sink



DSFCA-2416







#### **DSE-NSV00**

- Round Single Bowl Natural Stone Vessel
- Overall Size: 16-1/2" x 16-1/2" x 5-1/2"
- Material: Chiseled Polished Travertine
- No Overflow
- Faucet Sold Seperately
- ADA Compliant







- Round Single Bowl Natural Stone Vessel
- Overall Size: 19-1/8" x 19-1/8" x 4-5/8"
- Material: Polished Beige Travertine
- No Overflow
- Faucet Sold Seperately
- ADA Compliant





#### **DSE-NSV02**

- Rectangle Single Bowl Natural Stone Vessel
- Overall Size: 18" x 16" x 4"
- Material: Chiseled Polished Granite
- No Overflow
- Faucet Sold Seperately
- ADA Compliant







#### **DSE-NSV03**

- Oval Single Bowl Natural Stone Vessel
- Overall Size: 20-3/4" x 11-1/4" x 9-1/2"
- Material: Polished White Carrara Marble
- No Overflow
- Faucet Sold Seperately
- \*ADA Compliant (\*5" low side)







#### **DSE-TGV00**

- Square Single Bowl Tempered Glass Vessel
- Overall Size: 16-1/2" x 16-1/2" x 5-1/8"
- Material: Tempered Glass
- No Overflow
- Faucet Sold Seperately
- ADA Compliant







#### **DSE-TGV01**

- Oval Single Bowl Tempered Glass Vessel
- Overall Size: 21-5/8" x 13-3/4" x 5-1/8"
- Material: Tempered Glass
- No Overflow
- Faucet Sold Seperately
- ADA Compliant







#### **DSE-TGV02**

- Round Single Bowl Natural Stone Vessel
- Overall Size: 16-1/2"x16-1/2"x5-1/8"
- Material: Chiseled Polished Granite
- No Overflow
- Faucet Sold Seperately
- ADA Compliant





#### **DSE-TGV03**

- Oval Single Bowl Natural Stone Vessel
- Overall Size: 16-1/2"x16-1/2"x5-1/8"
- Material: Polished White Carrara Marble
- No Overflow
- Faucet Sold Seperately
- \*ADA Compliant (\*5" low side)



29







#### **DSE-SRV00**

- Egg-Shaped Single Bowl Solid Resin Vessel
- Overall Size: 23-5/8" x 13-3/4" x 6-1/4"
- Material: Solid Matte Resin
- No Overflow
- Faucet Sold Seperately



#### **DSE-SRV01**

- Octagon Single Bowl Solid Resin Vessel
- Overall Size: 17-7/8" x 17-7/8" x 5-7/8"
- Material: Solid Matte Resin
- No Overflow
- Faucet Sold Seperately







#### **DSE-SRV02**

- Round Single Bowl Solid Resin Vessel
- Overall Size: 20-1/4" x 20-1/4" x 4-1/8"
- Material: Solid Matte Resin
- No Overflow
- Faucet Sold Seperately





#### **DSE-SRV03**

- Rectangle Single Bowl Solid Resin Vessel
- Overall Size: 23-5/8" x 13-3/4" x 3-1/2"
- Material: Solid Matte Resin
- No Overflow
- Faucet Sold Seperately



### **Premium Quality Sinks** Made from Exotic Materials

# Signature COLLECTION







#### **DSE-VCTM00**

- Rectangle Single Bowl Vitrified Porcelain
- Topmount
- Overall Size: 23-5/8" x 16-1/2" x 5-1/8"
- Material: Vitrified Porcelain
- With Overflow
- Faucet Sold Seperately







#### **DSE-VCV00**

- Rectangle Single Bowl Vitrified Porcelain Vessel
- Overall Size: 22-7/8" x 14-5/8" x 4-3/4"
- Material: Vitrified Porcelain
- No Overflow
- Faucet Sold Seperately
- ADA Compliant







- Overall Size: 15-1/8" x 15-1/8" x 4-1/8"
- Material: Vitrified Porcelain
- No Overflow
- Faucet Sold Seperately
- ADA Compliant







#### **DSE-VCV02**

- Triangle Single Bowl Vitrified Porcelain Vessel
- Overall Size: 23" x 15-3/8" x 5-1/2"
- Material: Vitrified Porcelain
- No Overflow
- Faucet Sold Seperately
- ADA Compliant



#### **DSE-VCV03**

- Rectangle Single Bowl Vitrified Porcelain Vessel
- Overall Size: 19-5/8" x 15-1/8" x 5-1/8"
- Material: Vitrified Porcelain
- No Overflow
- Faucet Sold Seperately
- ADA Compliant







#### DSE-VCV04

- Round Single Bowl Vitrified Porcelain Vessel
- Overall Size: 16-1/2" x 16-1/2" x 6-3/4"
- Material: Vitrified Porcelain
- With Overflow
- Faucet Sold Seperately



#### **DSE-VCV05**

- Round Single Bowl Vitrified Porcelain Vessel
- Overall Size: 15-1/8" x 15-1/8" x 4-1/8"
- Material: Vitrified Porcelain
- No Overflow
- Faucet Sold Seperately
- ADA Compliant



## Kitchen Faucets







## PRE-RINSE FAUCETS



#### **DSF-23KRS00**

COLOR OPTIONS



- Brass construction
- Zinc handle
- 2 Function spray head
- Ceramic disc cartridge
- Stainless steel braided hose (3/8" x 20")
- Thickness:10µm Flow Rate
- 1.8 gpm max @ 60 psi

#### DSF-27KCO00

COLOR OPTIONS



- Brass construction,
- 2 Function spray head
- · Pot filler
- Zinc handle
- Ceramic disc cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

#### Flow Rate

• 1.8 gpm max @ 60 psi

DF10K401(\*)

## **PULL-DOWN FAUCETS**



#### DSF-16KPO00

COLOR OPTIONS

DF10K400(\*)



- Brass water way
- Pull-down two function spray head
- Zinc handle
- Ceramic disc cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

#### Flow Rate

• 1.8 gpm max @ 60 psi



## B DSF-16KPO03

COLOR OPTIONS



- Brass Water Way
- Pull-Down Two Function Spray
  Head
- Zinc Handle
- Ceramic Disc Cartridge
- Neoperl Aerator
- Stainless Steel Braided Hose (3/8" x 20")

#### Flow Rate

• 1.8 gpm max @ 60 psi

DF10K300(\*)



#### DSF-16KPO01

COLOR OPTIONS



- Brass water way
- Pull-down two function spray head
- Zinc handle
- Ceramic disc cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

#### Flow Rate

1.8 gpm max @ 60 psi

DF10K302(\*)



#### **DSF-17KPO01**

COLOR OPTIONS



- Brass water way
- Pull-down two function spray head
- Zinc handle
- Ceramic disc cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

#### Flow Rate

1.8 gpm max @ 60 psi


DF10K303(\*)

## PULL-DOWN FAUCETS



#### DSF-18KPO00

COLOR OPTIONS



- Brass Water Way
- Pull-Down Two Function Spray Head
- Zinc Handle
- Ceramic Disc Cartridae
- Neoperl Aerator
- Stainless Steel Braided Hose (3/8" x 20")

#### Flow Rate

• 1.8 gpm max @ 60 psi



#### **DSF-17KPO04**

COLOR OPTIONS



- Brass Water Way
- Pull-Down Two Function Spray Head
- Zinc Handle
- Ceramic Disc Cartridge
- Neoperl Aerator
- Stainless Steel Braided Hose (3/8" x 20")

#### Flow Rate

1.8 gpm max @ 60 psi

DF10K304(\*)



#### DSF-16KPO02

COLOR OPTIONS





- Brass Water Way
- Pull-Down Two Function Spray
- Zinc Handle
- · Ceramic Disc Cartridge
- Neoperl Aerator
- Stainless Steel Braided Hose (3/8" x 20")

#### Flow Rate

1.8 gpm max @ 60 psi



#### **DSF-17KPO03**

COLOR OPTIONS







- Brass Water Way
- Pull-Down Two Function Spray
- Zinc Handle
- Ceramic Disc Cartridge
- Neoperl Aerator
- Stainless Steel Braided Hose (3/8" x 20")

#### Flow Rate

1.8 gpm max @ 60 psi

DF10K306(\*)



#### DSF-19KPO00

COLOR OPTIONS



- Brass Water Way
- Pull-Down Two Function Spray
- Zinc Handle
- Ceramic Disc Cartridge
- Neoperl Aerator
- Stainless Steel Braided Hose  $(3/8" \times 20")$

#### Flow Rate

- N. America: 1.8 gpm max @ 60 psi
- California: 1.8 gpm max @ 60 psi

DSF-10K308(\*)



#### DSF-07KPF00

COLOR OPTIONS

DF10K307(\*)











- Stainless Steel Construction
- Brass Cartridge

- N. America: 1.8 gpm max @ 60 psi
- California: 1.8 gpm max @ 60 psi



## PULL-OUT FAUCETS



#### DSF-08KPO00

COLOR OPTIONS



- Brass Water Way
- Pull-Out Two Function Spray Head
- Zinc Handle
- Ceramic Disc Cartridge
- Ceramic Disc Carmage
- Neoperl Aerator
- Stainless Steel Braided Hose (3/8" x 20")

#### Flow Rate

• 1.8 gpm max @ 60 psi

DF10K200(\*)



#### DSF-12KPO00

COLOR OPTIONS



- Brass Water Way
- Pull-Out Two Function Spray Head
- Zinc Handle
- Ceramic Disc Cartridge
- Neoperl Aerator
- Stainless Steel Braided Hose (3/8" x 20")


#### <u>Flow Rate</u>

• 1.8 gpm max @ 60 psi

DF10K201(\*)

## HANDS FREE KITCHEN FAUCETS









DSF-18KHF00



**BRUSHED NICKEL** 



**CHROME** 



- Swivel pull-down spray head with 2-way function
- 65" braided nylon flexible hose
- Maximum flow of 6.8L/min (1.8 gpm) at 60 psi
- Brass body; zinc handle, stainless steel spout
- Low-lead (less than 0.25%)
- 9/16-24 UNEF connections with flexible stainless steel braided connectors
- Requires 4 AA batteries (not included)

#### **Functions:**


- Infrared sensor (with 2.5"/6.5cm range) will activate/ deactivate flow with hand movement
- Spray head will automatically be activated when pulled from its housing
- Manual override possible for regular handle use
- Safety timer automatically turns water off after 3 minutes of inactivity



DS-63202C-BNPVD DS-63202C-C

## Bathroom Faucets







## ISABELLA COLLECTION





### **DSF-30BSH00**

Single Handle Bathroom Faucet

### **COLOR OPTIONS**



### <u>Features</u>

- Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

### <u>Flow Rate</u>

• 1.5 gpm max @ 60 psi

### <u>Includes</u>

• Push pop-up drain with overflow

<sup>‡</sup>As shown on page 36



DSF-30B250(\*)





### **DSF-30BVE00**

Single Handle Bathroom Vessel Faucet

#### **COLOR OPTIONS**



### <u>Features</u>

- Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

### Flow Rate

• 1.5 gpm max @ 60 psi

### <u>Includes</u>

• Push pop-up drain (no overflow)



DSF-30B350(\*)

### ISABELLA COLLECTION



### **DSF-30B8W01**

8" Widespread Bathroom Faucet

### **COLOR OPTIONS**



### **Features**

- Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

### Flow Rate

• 1.5 gpm max @ 60 psi Includes

• Lift-rod drain with overflow



DSF-30B551(\*)





### DSF-30BSS00

Pressure Balanced Shower Set

### **COLOR OPTIONS**



### <u>Features</u>

- Valve material: solid brass
- Valve: Pressure Balanced w/ service stops
- Deckplate: stainless steel
- Shower arm: stainless steel
- Shower head: ABS 6", single function
- Adjustable temperature limit stop to control max hot water temp.
- Maintains selected discharge temp. up to ±3.6°F(±2°C)

### Flow Rate

• 2.5 gpm max @ 80 psi



DF30B125(\*)



## KEIRA COLLECTION





### **DSF-32BSH00**

Single Handle Bathroom Faucet

### **COLOR OPTIONS**



#### Features

- Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

### Flow Rate

• 1.5 gpm max @ 60 psi

### **Includes**

• Push pop-up drain with overflow



DF32B250(\*)





### DSF-32BVE00

Single Handle Bathroom Vessel Faucet

### **COLOR OPTIONS**



### <u>Features</u>

- Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

### Flow Rate

• 1.5 gpm max @ 60 psi

### **Includes**

• Push pop-up drain (no overflow)



DF32B350(\*)



### KENNEDY COLLECTION





### **DSF-34BSH00**

Single Handle Bathroom Faucet

### **COLOR OPTIONS**



### <u>Features</u>

- Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

### Flow Rate

• 1.5 gpm max @ 60 psi

### **Includes**

• Push pop-up drain with overflow



DF34B250(\*)





### DSF-34BVE00

Single Handle Bathroom Faucet

### **COLOR OPTIONS**



### <u>Features</u>

- Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

### Flow Rate

• 1.5 gpm max @ 60 psi

### **Includes**

• Push pop-up drain (no overflow)



DF34B350(\*)



### KENNEDY COLLECTION





### DSF-34BSS00

Pressure Balanced Shower Set

### **COLOR OPTIONS**



### **Features**

- Valve material: solid brass
- Valve: Pressure Balanced w/ service stops
- Deckplate: stainless steel
- Shower arm: stainless steel
- Shower head: ABS 8", single function
- Thickness:10µm
- 100% pressure system tested

### Flow Rate

- Shower head: 2.5 gpm max @ 80 psi
- Valve: 3.7 gpm max @ 80 psi



F34TS125(\*)

### DSF-34BTS00

Pressure Balanced Tub & Shower Set

### **COLOR OPTIONS**







### <u>Features</u>

- Valve material: solid brass
- Valve: Pressure Balanced w/ service stops
- Built-in diverter
- Spout: brass, NPT ½" female thread
- Deck plate: stainless steel
- Shower arm: stainless steel
- Shower head: ABS 8", single function

### Flow Rate

- Shower head: 2.5 gpm max @ 80 psi
- Valve: 4.5 gpm max @ 80 psi





DF34TS225(\*)

### DSF-34BTS01

Pressure Balanced Tub & Shower Set with Hand Shower

### **COLOR OPTIONS**







### <u>Features</u>

- Lever style handle with temperature indicator on the escutcheon
- Handle operates upward through a 23° arc. The rotation angle of temperature is 100°. Maximum hot through 50° in clockwise direction. Minimum cold through 50° in counterclockwise direction
- Adjustable temperature limit stop to control maximum hot water temperature
- Pressure balancing mechanism maintains selected discharge temperature to ±3.6°F(±2°C)
- Pressure Balance cartridge Flow Rate
- Shower head: 2.5 gpm max @ 80 psi
- Spout: 2.4 gpm max @ 20 psi

## MADISON COLLECTION



### **DSF-36BSH01**

Single Handle Bathroom Faucet

#### **COLOR OPTIONS**



### Features

- Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

#### Flow Rate

• 1.5 gpm max @ 60 psi

### **Includes**

• Push pop-up drain with overflow



DSF-36B251(\*



### DSF-36B8W01

8" Widespread Bathroom Faucet

### **COLOR OPTIONS**



#### Features

- Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

### Flow Rate

• 1.5 gpm max @ 60 psi

### Includes

• Lift-rod drain



DSF-36B551(\*)



## MADISON COLLECTION



### DSF-36BRO01

Roman Tub Faucet with Hand Shower

### **COLOR OPTIONS**



### Features

- Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator

### Flow Rate

- Hand shower: 2.5 gpm @ 80 psi
- Valve: 4.5 gpm max @ 80 psi

### <u>Includes</u>

- ABS hand shower
- 4pcs. of 304 stainless steel hose and 1 hand shower hose @ 1.5m 304 Stainless steel (5 hoses total)



DSF-36TS626(\*)

### DSF-36BSS00

Pressure Balanced Shower Set

### **COLOR OPTIONS**

..........



### <u>Features</u>

- Valve material: solid brass
- Valve: Pressure Balanced w/ service stops
- Deck plate: stainless steel
- Shower arm: stainless steel
- Shower head: ABS 8", single function


### Flow Rate

- Shower head: 2.5 gpm max @ 80 psi
- Valve: 4.5 gpm max @ 80 psi

### DSF-36BTSP1

Tub Spout

### **COLOR OPTIONS**



### <u>Features</u>

- Built-in diverter on spout
- Spout: brass, NPT ½" female thread









### SAMANTHA COLLECTION



### **DSF-38BSH01**

Single Handle Bathroom Faucet

### **COLOR OPTIONS**



#### **Features**

- Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

### Flow Rate

• 1.5 gpm max @ 60 psi

### <u>Includes</u>

• Push pop-up drain with overflow



### DSF-38B8W01

8" Widespread Bathroom Faucet

### **COLOR OPTIONS**







### <u>Features</u>

- Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20") Flow Rate
- 1.5 gpm max @ 60 psi

### **Includes**

• Push pop-up drain with overflow



DSF-38B551(\*)

### **DSF-38BSS01**

Rain Head with Hand Shower

### **COLOR OPTIONS**





## SOPHIA COLLECTION





### DSF-40BSH00

Single Handle Bathroom Faucet

### **COLOR OPTIONS**



### Features

- Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

### Flow Rate

• 1.5 gpm max @ 60 psi

### <u>Includes</u>

• Push pop-up drain with overflow



F40B250(\*)



### DSF-40BTS00

Pressure Balanced Tub & Shower Set

### **COLOR OPTIONS**



### Features

- Valve material: solid brass
- Pressure Balanced valve
- Built-in diverter
- Deckplate: stainless steel
- Shower arm material: brass
- Shower head: single function
- Thickness:10µm
- 100% pressure system tested

### <u>Flow Rate</u>

- Shower head: 2.5 gpm @ 80 psi
- Valve: 4.5 gpm max @ 80 psi



DF40TS225(\*)

## Signature COLLECTION

## Bathroom Faucets



### DSF-00BCS00

4" CENTER-SET FAUCET

### **COLOR OPTIONS**





### **Features**

- Brass water way
- Ceramic disc cartridge
- Flexible supply lines with 3/8" or 9/16" compression fittings Flow Rate
- 1.5 gpm max @ 60 psi (North America)
- 1.2 gpm max @ 60 psi (California)

### Includes

• Push pop-up drain with overflow

### DSF-00BCS01

4" CENTER-SET FAUCET

### **COLOR OPTIONS**





### <u>Features</u>

- Brass water way
- Ceramic disc cartridge
- Flexible supply lines with 1/2" compression fittings

### Flow Rate

- 1.5 gpm max @ 60 psi (North America)
- 1.2 gpm max @ 60 psi (California)

• Push pop-up drain with overflow



### DSF-00BCS02

4" CENTER-SET FAUCET







### **Features**

- Brass water way
- Ceramic disc cartridge
- Flexible supply lines with 1/2" compression fittings
- 1.5 gpm max @ 60 psi (North America)
- 1.2 gpm max @ 60 psi (California)

### Includes

Push pop-up drain with overflow



### DSF-00B8W04

8" WIDE SPREAD FAUCET

### **COLOR OPTIONS**







### **Features**

- Brass water way
- Ceramic disc cartridge
- Flexible supply lines with 3/8" & 1/2" or 9/16" & 1/2" compression fittings

### Flow Rate

- 1.5 gpm max @ 60 psi (North America)
- 1.2 gpm max @ 60 psi (California)

### <u>Includes</u>

• Push pop-up drain with overflow

DSF-00BSH01



### DSF-00B8W01

8" WIDE SPREAD FAUCET













# **COLOR OPTIONS**





# SINGLE HANDLE LAVATORY FAUCET





### <u>Features</u>

- Brass water way
- Ceramic disc cartridge
- Flexible supply lines with 3/8" or 9/16" compression fittings Flow Rate
- 1.5 gpm max @ 60 psi (North America)
- 1.2 gpm max @ 60 psi (California)

### Includes Push pop-up drain with overflow

### **Features**

- Brass water way
- Ceramic disc cartridge
- Flexible supply lines with 3/8" & 1/2" or 9/16" & 1/2" compression fittings

### Flow Rate

- 1.5 gpm max @ 60 psi (North America)
- 1.2 gpm max @ 60 psi (California)

### Includes

• Push pop-up drain with overflow



### TUB FILLER WITH HAND SHOWER

### **DSF-00BTF05**

Waterfall Style Tub Filler with Hand Shower







### <u>Features</u>

- Valve material: solid brass
- Water fall style spout with hand shower
- Zinc handle
- Ceramic disc cartridge
- Neoperl aerator
- Supply hose: stainless steel braided hose (3/8" x 31.5" long)

### Flow Rate

- Hand shower: 2.5 gpm @ 80 psi
- Spout: 2.4 gpm min. @ 20 psi



### **DSF-00BTF01**

Modern Style Tub Filler with Hand Shower

### **COLOR OPTIONS**





### <u>Features</u>

- Valve material: solid brass
- Modern style spout with hand shower
- Zinc handle
- Ceramic disc cartridge
- Neoperl aerator
- Supply hose: stainless steel braided hose (3/8" x 31.5" long)

### Flow Rate

- Hand shower: 2.5 gpm @ 80 psi
- Valve: 7 gpm max @ 45 psi

‡As shown on page 44



### DSF-00BTF04

Antique Style Tub Filler with Hand Shower COLOR OPTIONS





### **Features**

- Valve material: solid brass
- Antique style spout with hand shower
- Zinc handle
- Ceramic disc cartridge
- Neoperl aerator
- Supply hose: stainless steel braided hose (3/8" x 31.5" long)

### Flow Rate

- Hand shower: 2.5 gpm @ 80 psi
- Valve: 7 gpm max @ 45 psi



### DSF-00BTF03

Waterfall Style Tub Filler with Hand Shower COLOR OPTIONS





### <u>Features</u>

- Valve material: solid brass
- Water fall style spout with hand shower
- Zinc handle
- Ceramic disc cartridge
- Neoperl aerator
- Supply hose: stainless steel braided hose (3/8" x 31.5" long)

### Flow Rate

- Hand shower: 2.5 gpm @ 80 psi
- Valve: 7 gpm max @ 45 psi






# Signature

# Tubs & Toilets



Dakota's Signature Collection Tubs & Toilets offer the best blend of classic and modern styles to fit any space!





## ALCOVE BATHTUBS

ITEM #

DST-ALLC01W


DST-ALRC01W


15-3/10"

30″



ITEM #	Size	Description	
DST-ALLC00W	60" X 32" X 20.2"	Left-Centered Drain	
DST-ALRC00W	60" X 32" X 20.2"	Right-Centered Drain	





Size

60" X 30" X 22"

60" X 30" X 22"

60"

40-2/5"

10-3/5"



DS-02835

**Description** Left-Centered Drain

Right-Centered Drain

### **KEY FEATURES:** • Linear raised outlet

- Built-in arm rests
- 4.5mm thick pure acrylic
- 3 Layers of reinforced fiberglass & resin
- Built-in tile flange
- Available left (L) or right (R) version

### **CAPACITY TILL OVERFLOW:**

59 gallons

†SPECIAL ORDER




ADA Compliant with compatible ADA Accessories

- Linear raised outlet
- Built-in arm rests
- 4.5mm thick pure acrylic
- 3 Layers of reinforced fiberglass & resin
- Built-in tile flange
- Available left (L) or right (R) version

### **CAPACITY TILL OVERFLOW:**

59 gallons

†SPECIAL ORDER



22"	17-1/10″	17-7/10″





 $\oplus$ 

## FREE STANDING BATHTUBS



### **KEY FEATURES:**

66.5" X 31.5" X 24"

Size

- 4.5mm thick pure acrylic
- Modern oval design
- Reinforced with 3 layers of fiberglass & resin

**Description** 

Center/Back Drain

• Drain and overflow assembly included

#### CAPACITY TILL OVERFLOW:

72 gallons

‡As shown on page 48





ADA Compliant with compatible ADA Accessories

ITEM #	Size	Description	
DST-FSRCC00W	59" X 29.5" X 23"	Center/Center Drain	
DST-FSRCC01W	67" X 31" X 23"	Center/Center Drain	



- 4.5mm thick pure acrylic
- Modern rounded rectangle design
- Reinforced with 3 layers of fiberglass & resin
- Drain and overflow assembly included

### **CAPACITY TILL OVERFLOW:**

60 gallons (DST-FSRCC00W)

74 gallons (DST-FSRCC01W)









### **KEY FEATURES:**

- 4.5mm thick pure acrylic
- Modern rectangle design
- Reinforced with 3 layers of fiberglass & resin
- Drain and overflow assembly included

### **CAPACITY TILL OVERFLOW:**

71 gallons





ADA Compliant with compatible ADA Accessories

DS-2108



# FREE STANDING BATHTUBS

ITEM #	Color	Size	Description
DST-FSRCB01W	White	67" X 31.5" X 22.25"	Center/Back Drain
DST-FSRCB01R	Red	67" X 31.5" X 22.25"	Center/Back Drain
DST-FSRCB01BK	Black	67" X 31.5" X 22.25"	Center/Back Drain



### **KEY FEATURES:**

- Available in white, black or red
- Drain and overflow assembly included

### **CAPACITY TILL OVERFLOW:**

68 gallons







ADA Compliant with compatible ADA Accessories

DS-2540

ITEM #	Color	Size	Description
DST-CFOUC00W	White	66" X 31" X 30.75"	Universal/Centered Drain
DST-CFOUC00BK	Black	66" X 31" X 30.75"	Universal/Centered Drain

### **KEY FEATURES:**

- Available in white or black
- Drain and overflow assembly included
- Polished chrome lion paw feet

### **CAPACITY TILL OVERFLOW:**

62 gallons







DS 2502



## ONE-PIECE PORCELAIN TOILETS





### DSW-1EP18W

One-Piece Low Profile Tank Toilet

### **KEY FEATURES:**

- ADA compliant
- Elongated bowl
- Water saving flush system
- Single (SF) or dual flush (DF) available
- 1.1/1.6 gpf or 1.28 gpf
- 2" flush valve
- 12" rough in
- Soft-close seat included
- Concealed waste trap
- High quality glaze that resist stains and microbes



### DSW-1EP76W

One-Piece Slim Tank Toilet

### **KEY FEATURES:**

- Elongated bowl
- Water saving flush system
- Single (SF) or dual flush (DF) available
- 1.1/1.6 gpf or 1.28 gpf
- 2" flush valve
- 12" Rough in
- Soft-close seat included
- Concealed waste trap
- High quality glaze that resist stains and microbes



### DSW-1EL35W

One-Piece Low Profile Tank Toilet

### **KEY FEATURES:**

- Siphonic
- Size: 28-7/8" x 17-3/8" x 28-3/8"
- Vitreous china
- 1.28 gpf single flush toilet
- PP seat cover
- Elongated bowl shape
- Standard 12" rough-in





DK-WL576

## TWO-PIECE PORCELAIN TOILETS



### DSW-2EL28W

Two-Piece 1.28 GPF Toilet

### **KEY FEATURES:**

- Elongated bowl
- 3" glazed waste trap
- 12" Rough in
- High quality glaze that resist stains and microbes
- Soft-close seat included
- Wax ring and bolts included





### DSW-2EL29W

Two-Piece 1.28 GPF Toilet

### **KEY FEATURES:**

- ADA compliant
- · Comfort height
- Elongated bowl
- 1.28 gpf
- 3" glazed waste trap
- 12" rough in
- Soft-close seat included
- Wax ring and bolts included

### †SPECIAL ORDER



### DSW-2EL03W

Two-Piece Toilet

### **KEY FEATURES:**

- Siphonic
- Size: 29-1/2" x 16-1/2" x 30-3/4"
- 1.28 Gpf single flush toilet
- Elongated bowl shape
- Standard 12" rough-in



DK-WL518




DK-WL529







Dakota's Builders Collection Sinks offer the best value for your projects. Bottom Grids, Strainers, and Accessories are also available!



### Premium Quality Stainless Steel 18g Micro Radius Sinks

GSM-BG5050 (SET)





### **GSM-5050**

32" x 18" x 10" 18 gauge Straight Cut 50/50 Bowl Undermount Kitchen Sink



### GSM-7030

32" x 18" x 10" 18 gauge Straight Cut 70/30 Bowl Undermount Kitchen Sink †Special Order



GSM-BG7030 (SET)

### GSM-3070

32" x 18" x 10" 18 gauge Straight Cut 30/70 Bowl Undermount Kitchen Sink †Special Order











### GSM-6040

32" x 18" x 10" 18 gauge Straight Cut 60/40 Bowl Undermount Kitchen Sink †Special Order



### GSM-BG6040 (SET)



### GSM-4060

32" x 18" x 10" 18 gauge Straight Cut 40/60 Bowl Undermount Kitchen Sink †Special Order



### GSM-BG6040 (SET)







18 gauge Single Bowl Undermount Kitchen Sink







### **GSM-3018**

30" x 18" x 10" 18 gauge Single Bowl Undermount Kitchen Sink







### GSM-2718

27" x 18" x 10" 18 gauge Single Bowl Undermount Kitchen Sink





### <sup>‡</sup>As Shown on page 54



### GSM-2318

23" x 18" x 10" 18 gauge Single Bowl Undermount Kitchen Sink






# BUILDERS COLLECTION SERIES Z





Dakota's Builders Collection Sinks offer the best value for your projects. Bottom Grids, Strainers, and Accessories are also available!



### Premium Quality Stainless Steel 18g Zero Radius Sinks



<sup>‡</sup>As Shown on page 56



**GSZ-5050** 32" x 18" x 10'

18 gauge Straight Cut 50/50 Bowl Undermount Kitchen Sink



GSZ-BG5050 (SET)





GS0-5050



**GSZ-7030** 

32" x 18" x 9-3/4"

18 gauge Straight Cut 70/30 Bowl Undermount Kitchen Sink





GS0-7030



GSZ-6040

32" x 18" x 10"

18 gauge Straight Cut 60/40 Bowl Undermount Kitchen Sink







GS0-6040



GSZ-6040-1

30-3/4" x 20" x 10"

18 gauge Offset 60/40 Bowl Undermount Kitchen Sink



GSZ-BG6040-1 (SET)





GS0-6040-1



**GSZ-3218** 

32" x 18" x 10"

18 gauge Single Bowl Undermount Kitchen Sink





GS0-3218



**GSZ-3018** 

30" x 18" x 10"

18 gauge Single Bowl Undermount Kitchen Sink





GS0-3018



**GSZ-2718** 27" x 18" x 10"

18 gauge Single Bowl Undermount Kitchen Sink



GS0-2718



**GSZ-2518** 

24-1/2" x 17-3/4" x 8"

18 gauge Single Bowl Undermount Kitchen Sink



**GSZ-2318** 23" x 18" x 10"

18 gauge Single Bowl Undermount

Kitchen Sink



GS0-2318

Single Bowl Undermount Kitchen Sink

18 gauge

**GSZ-1915** 

19" x 15" x 10"






GS0-1915

# BUILDERS GENESIS R COLLECTION SERIES





Dakota's Builders Collection Sinks offer the best value for your projects. Bottom Grids, Strainers, and Accessories are also available!



### Premium Quality Stainless Steel 18g, 16g, & 20g Standard Radius Sinks





### GSR-18-6040

31-7/8" x 20-3/4" x 9" 18 gauge Offset 60/40 Bowl Undermount Kitchen Sink







GS18-6040



### GSR-18-4060

31-7/8" x 20-3/4" x 9" 18 gauge Offset 40/60 Bowl Undermount Kitchen Sink









GS18-4060



### GSR-18-7030

31-1/2" x 20-1/2" x 9" 18 gauge Offset 70/30 Bowl Undermount Kitchen Sink

### GSR-BG7030 (SET)





GS18-7030



### GSR-18-3070

31-1/2" x 20-1/2" x 9" 18 gauge Offset 30/70 Bowl Undermount Kitchen Sink







GS18-3070



### **GSR-18-5050**

32-3/8" x 18-1/8" x 9" 18 gauge Straight Cut 50/50 Bowl Undermount Kitchen Sink

### GSR-BG5050 (SET)





GS18-5050



### **GSR-18-5050LD**

32-3/8" x 18-1/4" x 8" 18 gauge Low Divide 50/50 Bowl Undermount Kitchen Sink

GSR-BG5050LD (SET)





GS18-5050LD









### **GSR-18-5050S**

29-1/8" x 18-1/2" x 8" 18 gauge Straight Cut 50/50 Bowl Undermount Kitchen Sink



31" x 21" x 9" 18 gauge Single Bowl Undermount Kitchen Sink †Special Order



GS18-3121



### GSR-18-3319

33" x 19" x 9" 18 gauge Single D-Bowl Undermount Kitchen Sink



GS18-5050S

GS18-3319



### GSR-18-2321

23-5/8" x 20-7/8" x 9" 18 gauge Single D-Bowl Undermount Kitchen Sink



GS18-2321



### GSR-18-3218

31-1/2" x 18-3/8" x 9" 18 gauge Single Bowl Undermount Kitchen Sink





G\$18-3218



### GSR-18-3018

30" x 18-1/8" x 9" 18 gauge Single Bowl Undermount Kitchen Sink



GS18-3018

### Premium Quality Stainless Steel 18g, 16g, & 20g Standard Radius Sinks





GSR-18-2718

27" x 17-7/8" x 9" 18 gauge Single Bowl Undermount Kitchen Sink <sup>‡</sup>As shown on page 58





GSR-18-2318

23-1/8" x 17-7/8" x 9" 18 gauge Single Bowl Undermount Kitchen Sink





GS18-2318



### GSR-18-1519

15" x 18-1/2" x 7" 18 gauge Single Bowl Undermount Bar Sink



GSR-BG2718

GS18-2718



GS18-1519



### GSR-18-1218

12.5"x18"x7" 18 gauge Single Bowl Undermount Bar Sink



UM-12187-18



### GSR-18-1616

16-7/8" x 16-7/8" x 8" 18 gauge Single Bowl Undermount Bar Sink





GS18-1616



### GSR-18-1513

15" x 12-5/8" x 7" 18 gauge Single Bowl Undermount Bar Sink



### GSR-BG1513





GS18-1513



### GSR-18-918

9" x 18" x 7" 18 gauge Single Bowl Undermount Bar Sink



GS18-918







**GSR-18-16R** Ø17-7/8" x 7" 18 gauge Single Bowl Undermount Bar Sink



GSR-18-1916 19" x 16"" x 7" 18 gauge Single Bowl Undermount No Overflow Lavatory Sink



GS18-1916



### GSR-20-TM5050

33" x 22" x 8" 20 gauge 50/50 Bowl **Topmount** Kitchen Sink





GS18-16R

GS20-TM5050



### GSR-20-TM3322 33" x 22" x 8" 20 gauge

Single Bowl Topmount Kitchen Sink





GS20-TM3322



### GSR-20-TM6040

33" x 22" x 8" 20 gauge 60/40 Bowl Topmount Kitchen Sink †Special Order GSR-BGTM6040 (SET)



GS20-TM6040

3 HOLE VERSION ALSO AVAILABLE



### GSR-20-TM2522

25" x 22" x 8" 20 gauge Single Bowl Topmount Kitchen Sink †Special Order <sup>‡</sup>As shown on page 63





GS20-TM2522

### Premium Quality Stainless Steel 18g, 16g, & 20g Standard Radius Sinks











- Made from 80% quartz; only diamond is harder
- Durable; highly resistant to scratches and stains
- Heat resistant to
- Non-porous surface is very easy-to-clean
- Extremely hygienic; does not absorb

**Color-Matched Strainers & Flanges** Sold Seperately.



### **COLOR OPTIONS:**

BEIGE

CONCRETE

BLACK

MOCHA

WHITE



### **COLOR OPTIONS:**

BEIGE

CONCRETE

BLACK

МОСНА

WHITE

### **GSE-QC5050**

Kitchen Sink

33" x 22" x 9-3/4" | 9-3/4" 50/50 Bowl Dual-Mount Rim for Undermount or Topmount Quartz Composite







### GSE-QC5050LD

33" x 22" x 8" | 8" 50/50 Bowl Undermount Quartz Composite Kitchen Sink

GSE-BGQC5050LD (SET)





### **COLOR OPTIONS:**





**BLACK** 

мосна

WHITE

### GSE-BGQC6040LD (SET)



### GSE-QC4060LD

32" x 19" x 8-1/4" | 9-3/4" 40/60 Bowl Undermount Quartz Composite Kitchen Sink

### COLOR OPTIONS:

BEIGE

CONCRETE

**BLACK** 

MOCHA

WHITE

GSE-BGQC4060LD (SET)





### GSE-QC6040LD

32" x 19" x 9-3/4" | 8-1/4" 60/40 Bowl Undermount Quartz Composite Kitchen Sink

### Premium Quality Quartz Composite Sinks Packaged for Bulk





### **COLOR OPTIONS:**

BEIGE

CONCRETE

**BLACK** 

**MOCHA** 

WHITE



### **COLOR OPTIONS:**

BEIGE

CONCRETE


**BLACK** 

**MOCHA** 

WHITE

### GSE-QC7030LD

32" x 20" x 10-1/4" | 8-3/4" 70/30 Bowl Low Divide Undermount Quartz Composite Kitchen Sink







### **GSE-QC3219**

32" x 19" x 9-3/4" Single Bowl Undermount Quartz Composite Kitchen Sink







### **COLOR OPTIONS:**

BEIGE

CONCRETE

**BLACK** 

MOCHA

WHITE



### **COLOR OPTIONS:**



CONCRETE

BLACK

мосна

WHITE

### GSE-QC2321

23" x 21" x 9-3/4" D-Bowl Undermount Quartz Composite Kitchen Sink







### **GSE-QC2318**

23" x 18" x 9" Single Bowl Undermount Quartz Composite Kitchen Sink









### **GSE-QC1618**

16" x 18" x 9" Single Bowl Undermount Quartz Composite Kitchen Sink

### **COLOR OPTIONS:**





### GSE-BGQC1618







**BLACK** 

мосна

WHITE

### **GSE-QC1515**

15" x 15" x 8" Single Bowl Undermount Quartz Composite Kitchen Sink

### **COLOR OPTIONS:**

BEIGE

CONCRETE

**BLACK** 

МОСНА

WHITE








# **BUILDERS**COLLECTION Universal S E R I E S



Builders Collection Universal Porcelain Sinks are available in your choice of three colors: White, Biscuit, and Black!



# Premium Quality Vitreous China Lavatory Sinks





\*Only White & Biscuit Available







†Special Order

US-TM-2017 20" x 17" x 7-1/2" Vitreous China 4" Center Set Topmount Lavatory Sink



US-1613 18-3/8" x 15-1/8" x 7-5/8" Vitreous China Undermount Lavatory Sink













US-2216 22-1/4" x 16-1/4" x 7-5/8" Vitreous China Undermount Lavatory Sink †Special Order



US-1512 16-7/8" x 14-1/8" x 7-5/8" Vitreous China Undermount Lavatory Sink











†Special Order

US-1714
19-1/2" x 15-3/4" x 8-1/8"
Vitreous China
Undermount
Lavatory Sink
‡As shown on page 66



US-1310 15" x 12" x 7-1/8" Vitreous China Undermount Lavatory Sink







**US-TM2119** 20-7/8" x 19-1/4" x 6-3/4" Vitreous China **Topmount** Lavatory Sink



**US-2114** 23-7/8" x 16-3/8" x 8-3/8" Vitreous China Undermount Lavatory Sink





**US-1813** 20-1/8" x 15" x 7-5/8" Vitreous China Undermount Lavatory Sink







**US-1611** 18" x 13" x 7-1/8" Vitreous China Undermount Lavatory Sink





**US-1812** 21" x 15" x 8-1/2" Vitreous China Undermount Lavatory Sink <sup>‡</sup>As shown on page 69





†Special Order













# Premium Quality Vitreous China Lavatory Sinks







†Special Order





**US-1811HM** 


20-7/8" x 13-5/8" x 7-5/8" Vitreous China Undermount Lavatory Sink



**US-2013** 

21-7/8" x 14-5/8" x 7-1/2" Vitreous China Undermount Lavatory Sink †Special Order









**DSA-SBM** SILICONE BAKING MAT 16-1/2" X 11-1/2"



**DSA-RUGS ROLL-UP DRYING RACK** 20-3/4" X 12-1/2"



**DSA-SSSH** STAINLESS STEEL **SPONGE HOLDER** 







**DSA-PWO WINE CORKSCREW** 



**DSA-SDSS STAINLESS STEEL SOAP DISPENSER** \*Also Available in Chrome (DSA-SDC)









DSA-PH97 **POT HOLDER** 9" X 7"



**DSA-KHT** KITCHEN HAND TOWEL



**DSA-OMWS** SILICONE COVERED **OVEN MITT** 





DSA-BCB1512 **BAMBOO CHOPPING** BLOCK 15" X 12"



**DSA-BCBWS** SILICONE GRIPPED **CUTTING BOARD** 13-1/8" X 9-5/8"





**DSA-SQUEEGEE** SINK SQUEEGEE





### KITCHEN SINK BASKET STRAINERS



**DSA-PBSSS**Stainless Steel Basket Strainer



DS-PBSS:



**DSA-PBCPVD**Copper Pvd Basket Strainer



### DS-PBCPVD

### GARBAGE DISPOSAL FLANGES



**DSA-PDFSSS** Stainless Steel Disposal Flange



DS-PDFSSS



**DSA-PDFCS**Copper Pvd Disposal Flange



DS-PDFCS

### EXTERNAL AIR SWITCH KIT



### **DSA-EAS**

EXTERNAL AIR SWITCH KIT

### **INCLUDES:**

- Air Switch Button/Body
- Plastic Washer
- Plastic Nut
- Power Module with AC Outlet
- 3ft. Power Cable
- 40in. Air Tube

### **AVAILABLE FINISHES:**

- (CR) Chrome
- (BN) Brushed Nickel





# ome Garbage Disposals



BioGuard® is a unique antimicrobial agent, permanently molded into the "wet" components of the garbage disposal to eliminate bacteria-caused odor. It also inhibits the growth of a wide range of microorganisms.

### **Key Features:**

- Continuous feed
- Silver Shield prevents silverware from falling through the drain
- Septic system safe
- Permanently sealed bearings
- Stainless steel grind ring
- Balance turntable & armature shaft
- Cast stainless steel swivel impeller & cutting mechanisms mean no rust
- Insulated, whisper-quiet motor reduces sound
- Thermoset polymer drain housing
- ABS hopper & manual reset
- Hardwire or plug-in friendly
- Includes factory installed power cord



### **DSA-WD5000**

DELUXE 1-1/4 HP GARBAGE DISPOSAL UNIT

#### **KEY FEATURES:**

- 1-1/4(1.25) Horse Power Motor
- 2500 RPM Grinding Speed
- 120V/7.8 Amps
- Includes Built-In Air Switch



### **DSA-WD3000**

SUPER DUTY 3/4 HP GARBAGE DISPOSAL UNIT



- 3/4(.75) HP Motor
- 2500 RPM Grinding Speed
- 120V/4.6 Amps
- Includes Built-In Air Switch





### **DSA-WD2000**

HEAVY DUTY 1/2 HP GARBAGE DISPOSAL UNIT

### **KEY FEATURES:**

- 1/2(.5) HP Motor
- 2500 RPM Grinding Speed





### **USA-WD2100**

1/2 HP SLIM MODEL GARBAGE DISPOSAL UNIT



- 1/2(.5) HP Motor
- 2500 RPM Grinding Speed
- 120V/3.1 Amps
- Slim Design Saves Space
- Does Not Include Air Switch



Dakota per Duty 3/4 hp







# COLLECTION





## **ALCOVE BATHTUBS**



ITEM #	Size	Description
UST-ALLC01SW	60" X 30" X 21.5"	Left-Centered Drain
UST-ALRC01SW	60" X 30" X 21.5"	Right-Centered Drain
UST-ALLC01SNW	60" X 30" X 21.5"	Left-Centered Drain; Nested
ITEM #	Size	Description
UST-ALLC02SW	60" X 32" X 21.5"	Left-Centered Drain
UST-ALRC02SW	60" X 32" X 21.5"	Right-Centered Drain
ITEM #	Size	Description
UST-ALLC03SW	60" X 36" X 21.5"	Left-Centered Drain
UST-ALRC03SW	60" X 36" X 21.5"	Right-Centered Drain

#### **KEY FEATURES:**

- · Linear raised outlet
- One-piece high-gloss acrylic surface for a bright shine.
- Easy to clean, stain resistant.
- · Built-in tile flange
- Lumbar support

- Reinforced integral skirt.
- Adjustable legs, Ø3" feet
- 7/16" O.S.B. and fiberglass for maximum support
- Covered with a protective film to maintain finish during installation.
- \*LEFT(L) OR RIGHT(R) DRAIN AVAILABLE













LEFT(L) OR †RIGHT(R) DRAIN AVAILABLE †OPTIONAL SKIRT AVAILABLE (SK)

ADA Compliant with compatible ADA Accessories

ITEM #	Size	Description
UST-ALLCOONW	60" X 30" X 20"	Left-Centered Drain
UST-ALRC00NW	60" X 30" X 20"	Right-Centered Drain
UST-ALLC00SW	60" X 30" X 20"	Left-Centered Drain <b>with</b> Skirt
UST-ALRC00SW	60" X 30" X 20"	Right-Centered Drain <b>with</b> Skirt

#### **KEY FEATURES:**

- · Built-in tile flange
- · Easy to install for both new construction and remodel projects.
- Easy to clean. Stain resistant.
- · Lumbar support for bathing
- 3" diameter feet, 7/16" O.S.B. and fiberglass for maximum support.

#### **CAPACITY TILL OVERFLOW:**

62 Gallons

†SPECIAL ORDER



DS-02322(\*)W(\*\*)

## WER BASE WITH DRAIN



#### **USB-ASB6036CTF**

60" X 36" X 5.5"

#### **KEY FEATURES:**

- · Acrylic shower base
- Center drain
- · Tile flange
- · Chrome grid drain included

#### **SPECIAL ORDER**

ADDITIONAL SIZES AVAILABLE UPON REQUEST



DK-ASB6036CTF



## TWO-PIECE PORCELAIN TOILETS



#### USW-2EL05W

Two-Piece Lever Flush Toilet

#### **KEY FEATURES:**

- Elongated bowl
- 3" glazed waste trap
- 12" Rough in
- High quality glaze that resist stains and microbes
- Soft-close seat included
- Wax ring and bolts included



DK-WL51



#### USW-2EP73W

Two-Piece Push Button Flush Toilet

#### **KEY FEATURES:**

- ADA compliant
- Comfort height
- Elongated bowl
- 1.28 gpf
- 3" glazed waste trap
- 12" rough in
- Soft-close seat included
- Wax ring and bolts included

#### †SPECIAL ORDER



DK-WL529

#### USW-2RP73W

Two-Piece Push Button Flush Toilet

#### **KEY FEATURES:**

- Siphonic
- Size: 29-1/2" x 16-1/2" x 30-3/4"
- 1.28 Gpf single flush toilet
- Round bowl
- Standard 12" rough-in
- Wax ring and bolts included





## KITCHEN FAUCETS





#### <u>Features</u>

- Kitchen faucet
- Material: 304 stainless steel
- Handle: zinc alloy
- 1 Function ABS spray head
- Wanhai ceramic cartridge
- Two 20" 304 stainless steel braided hoses
- · Nylon pull-out hose
- cUPC Certified

#### Flow Rate

• 1.5 gpm @ 60 psi



DF322POK



#### USF-16KPO00 **COLOR OPTIONS**



#### <u>Features</u>

- · Kitchen faucet
- Brass Construction
- Ceramic Disk Cartridge • Flexible supply lines with
- 3/8" or 9/16" compression fittings
- Red/Blue Temperature Indicators
- cUPC Certified

#### Flow Rate

- North America: 1.8 gpm max @ 60 psi
- California:

1.8 gpm max @ 60 psi



#### USF-16KPO01 **COLOR OPTIONS**



#### <u>Features</u>

- · Pull Out Kitchen Faucet
- Brass Construction
- Ceramic Disk Cartridge
- Flexible supply lines
- · cUPC Certified

#### Flow Rate

• 1.5 gpm @ 60 psi



## USF-17KPO00

**COLOR OPTIONS** 



- · Pull Out Kitchen Faucet
- Brass Construction
- · Ceramic Disk Cartridge
- Flexible supply lines
- · cUPC Certified

#### Flow Rate

• 1.5 gpm @ 60 psi







## **USF-14KSH00**





#### <u>Features</u>

- Single Handle Kitchen Faucet
- Brass Construction
- Ceramic Disk Cartridge
- Flexible supply lines

#### cUPC Certified Flow Rate

• 1.5 gpm @ 60 psi



## **USF-15KSH00**

**COLOR OPTIONS** 



#### <u>Features</u>

- Single Handle Kitchen Faucet
- Brass Construction
- Ceramic Disk Cartridge
- Flexible supply lines cUPC Certified

#### Flow Rate

• 1.5 gpm @ 60 psi





#### USF-20KRS00

COLOR OPTIONS



#### <u>Features</u>

- Pre-Rinse Kitchen Faucet
- Brass Construction
- Ceramic Disk Cartridge
- Flexible supply lines
- cUPC Certified Flow Rate
- 1.5 gpm @ 60 psi







## BATHROOM FAUCETS



### USF-00BSH01

**COLOR OPTIONS** 



- · Bathroom faucet
- Stainless Steel Construction
- Ceramic Disk Cartridge
- · Flexible supply lines with
- 3/8" or 9/16" compression fittings
- Red/Blue Temperature Indicators
- cUPC Certified

#### Flow Rate

- North America: 1.5 gpm max @ 60 psi
- California:
- 1.2 gpm max @ 60 psi **Includes**
- · Push pop-up drain with overflow



DK-Z1M1340



## USF-00BSH00

**COLOR OPTIONS** 



- Bathroom faucet
- Valve material: solid brass
- Ceramic cartridae
- Neoperl aerator
- Stainless steel braided hose (3/8" x 20")

#### Flow Rate

- 1.5 gpm @ 60 psi
- Push pop-up drain with overflow



DF996B(\*)

USF-00BVE01

**COLOR OPTIONS** 



USF-00BSH02 **COLOR OPTIONS** 



- · Bathroom faucet
- Stainless Steel Construction
- · Ceramic Disk Cartridge
- · Flexible supply lines with
- 3/8" or 9/16" compression fittings
- Red/Blue Temperature Indicators
- cUPC Certified

#### Flow Rate

- North America: 1.5 gpm max @ 60 psi **Includes**
- Push pop-up drain with overflow



DF296B(\*)



## USF-00BSH03

**COLOR OPTIONS** 



- · Bathroom faucet
- Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator
- Stainless steel braided hose
- **Drain NOT included**

#### Flow Rate

• 1.5 gpm @ 60 psi



- · Bathroom vessel faucet
- Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator
- Stainless steel braided hose
- Drain NOT included

#### Flow Rate

• 1.5 gpm @ 60 psi





USF-00BWM00

**COLOR OPTIONS** 

- Bathroom faucet
- Wall-Mounted
- Valve material: solid brass
- · Ceramic cartridge
- · Neoperl aerator
- · Stainless steel braided hose
- Drain NOT included

#### Flow Rate

• 1.5 gpm @ 60 psi







- · Bathroom faucet
- Wall-Mounted
- Valve material: solid brass
- · Ceramic cartridge
- Neoperl gerator
- · Stainless steel braided hose
- Drain NOT included

#### Flow Rate

• 1.5 gpm @ 60 psi








- · Bathroom faucet
- 8" wide spread
- · Valve material: solid brass
- Ceramic cartridge
- Neoperl aerator
- Stainless steel braided hose
- Drain NOT included

#### Flow Rate

• 1.5 gpm @ 60 psi







## **TUB & SHOWER SETS**



#### USF-00BTS68

#### COLOR OPTIONS



- · Pressure balanced valve
- Integral stop
- 8" ABS shower head
- Push/pull diverter at shower head
- · Slide bar kit

#### Flow Rate

• Valve: 3.7 gpm @ 80 psi



DK-W1L268-1



#### USF-00BTS69

#### **COLOR OPTIONS**



- · Pressure balanced valve
- 8" ABS shower head
- Push/pull diverter at shower head
- Slide bar kit

Integral stop

- Includes metal spout with diverter Flow Rate
- Valve: 3.7 gpm @ 80 psi



DK-W1L268-2



#### USF-00BHS01

#### **COLOR OPTIONS**



- Single function solid brass valve
- pressure balanced with integral stop
- 40mm ceramic valve cartridge
- · Zinc alloy handle
- Stainless steel deck plate
- ABS sliding bar: ABS wall connecter
- ABS hand shower: 1 function
- Hand shower holder: 1/2" connecter, NPT 180 x 35 x 15mm
- Hand shower hose: stainless steel
- cUPC approved Flow Rate
- Valve: 1.5 gpm @ 60 psi



DK-HSB01



#### USF-00BTS00

#### **COLOR OPTIONS**



- · Single function solid brass valve
- pressure balanced with integral stop
- · Ceramic valve cartridge
- · Zinc alloy handle
- Stainless steel deck plate
- Includes metal spout with diverter
- cUPC approved

#### Flow Rate

• Valve: 1.5 gpm @ 60 psi







### **USF-00BTF00**

#### **COLOR OPTIONS**



#### **Features**

- Valve material: solid brass
- Zinc handle
- Ceramic disc cartridge
- Neoperl aerator
- Supply hose: stainless steel braided hose (3/8" x 31.5" long)

#### <u>Flow Rate</u>

• Valve: 7 gpm max @ 45 psi





#### USF-00BTF01

#### **COLOR OPTIONS**



#### **Features**

- · Tub Filler with Hand Shower
- Valve material: solid brass
- Zinc handle
- Ceramic disc cartridge
- Neoperl aerator
- Supply hose: stainless steel braided hose (3/8" x 31.5" long)

#### Flow Rate

- Hand shower: 2.5 gpm @ 80 psi
- Valve: 7 gpm max @ 45 psi





## Acrylic Tub Warranty

3 Year Limited Warranty on Acrylic Parts

\*Excludes excluding plumbing fittings, labor charges & damage incurred during installation or mishandling.



## Faucet Warranty

Lifetime Limited Warranty from Manufacturing Defects

\*1 Year Limited Warranty on Replacement Parts

\*Excludes labor charges or damage incurred during installation or mishandling.



## Garbage Disposal Warranty

Lifetime Limited Warranty on DSA-WD5000

\*Excludes change of ownership, labor charges or damage incurred during installation or mishandling.



## Garbage Disposal Warranty

10 Year Warranty on DSA-WD3000 and DSA-WD2000

\*Excludes change of ownership, labor charges or damage incurred during installation or mishandling.



## Porcelain & Fire Clay Warranty

Lifetime Limited Warranty from Manufacturing Defects

\*Excludes labor charges or damage incurred during installation or mishandling.



## Quartz Composite Warranty

Lifetime Limited Warranty from Manufacturing Defects

\*Excludes labor charges or damage incurred during installation or mishandling.



## Stainless Steel Warranty

Lifetime Limited Warranty from Manufacturing Defects

\*Excludes labor charges or damage incurred during installation or mishandling.



## Toilet Warranty

Lifetime Limited Warranty on Replacement Parts

\*Excludes labor charges or damage incurred during installation or mishandling.



## Care Information



#### **Brushed Nickel Finish Care Instructions**

#### Use a damp cloth to remove light dirt

Dampen a soft piece of cloth with clean water, and wipe down the surface of the faucet daily to remove dirt before it accumulates. Use a cotton ball sprayed with glass cleaner to clean the base of the finish or any hard-to-reach areas. Make sure the glass cleaner does not contain ammonia or alcohol.

#### Scrub away hard water stains

Spray a soft cloth with a mixture consisting of equal parts water and vinegar. Use the cloth to scrub away heavy water stains on the nickel finish, or to remove built up dirt.

#### Rinse the finish

Rinse the finish with a clean, damp cloth after cleaning it with the glass cleaner or vinegar cleanser. Rinse out the cloth as needed to rid it of the residue of the cleansers, dampening it again to continue rinsing the finish. Dry the finish with a soft dry cloth.

#### Wax the finish

Return the shine to the finish by spreading a layer of paste wax over the finish. Waxing is required about every four weeks. Spread the wax using a soft dry cloth, working it over the surface of the nickel in a small circular motion. After covering the finish, buff it to a shine using another dry soft cloth.

#### WARNING

- · Avoid bleach.
- Do not use cleaners that contain alcohol or ammonia to clean brushed nickel.
- Abrasives should never be used, as they may affect the finish.
- Acidic substances left on the nickel finish for extended periods of time may leave a slight dark mark, but this is easily removed with a chrome polish.
- Do not use abrasive cleaning pads.
- Never leave rubber mats, sponges, towels, or cleaning pads in the sink overnight as this will trap water and could stain and discolor the sink surface.

#### **Porcelain Care & Cleaning Instructions**

#### STEP 1: Gently clean with liquid soap and dry.

• Using warm water, liquid soap, and a sponge, gently clean the porcelain sink. Remove any food, soap, or toothpaste build-up from the surface. This will allow you to identify any stains or scuff marks require a deeper clean. Wash away all soapy residue, and dry with a dish towel.

## STEP 2: Skip scrubbing, and remove discoloration using bleach on white porcelain and hydrogen peroxide on colored porcelain sinks.

- Harsh scrubbing can damage porcelain, so your first line of attack should be the least abrasive. For white porcelain only, bleach can be used to remove stains; never use chlorine bleach in colored or vintage porcelain, as it can damage the finish. For both white and colored porcelain, liquid oxygen bleach (such as hydrogen peroxide) is a good alternative. It may take longer to work, but is less caustic and more environmentally friendly.
- Pour the bleach product suited to your type of porcelain into a spray bottle. Cover your sink with a layer of paper towels. Spray bleach or oxygen bleach over the towels, allowing it to soak in thoroughly, and let sit for 30 minutes to an hour. Discard the bleachy paper towels, and rinse sink completely with clean water. If concerned about putting any kind of bleach on an antique porcelain sink, use white vinegar instead. Add undiluted white vinegar to a spray bottle and spray the sink, then use a non-abrasive sponge and circular motions to clean the porcelain. Rinse thoroughly with water. If the stains don't lift completely and you decide to try oxygen bleach, remove all traces of vinegar first to avoid the harmful side effects of combining vinegar and bleach.

#### STEP 3: Tackle deeper stains with a mild abrasive.

- If you don't feel comfortable using bleach, try lifting stain with a gentle
  abrasive. There are many abrasive cleansers on the market, and not all are
  designed for porcelain. One safe and effective liquid is Bar Keepers Friend®.
   Squirt a small amount into the sink and gently scour the surface with a nonabrasive sponge. Its oxalic acid will lift stains, but be sure to use the product
  sparingly or risk discoloring and scratching your porcelain.
- Lift metal stains with a little bit of acid or naval jelly.
- Tackle silverware stains and orange/red rust separately, using these methods: Add a few drops of lemon juice or white vinegar directly to a metal stain. Do not mix acids! Let sit for several minutes, monitoring the color of the stain. Do not scrub. Remove with water. For rust stains, use Naval Jelly®. Apply a thin coat to the stained area, monitor carefully, and rinse as soon as you notice a change in the color of the stain. Naval Jelly® is primarily used to remove rust from metal, so exercise caution and rinse it quickly from porcelain as soon as the stain lifts.



## Care Information



#### Copper Care Instructions

#### DAILY

When you finish using your sink, adopt the simple rinse and wipe method.
 When water dries, it often leaves behind unsightly calcium stains, which may alter the appearance in an undesirable way. In addition, when food is allowed to sit on the surface of the sink, any acids within the food can alter the finish. So just remember to rinse with water and wipe with a dish towel.

**NOTE:** Since copper is a natural anti-bacterial surface, it is not necessary to disinfect or scrub your copper, since the sink does it for you.

#### WHEN NEEDED

 If you feel the surface has lost its luster, use a clear mild non-citrus liquid dish soap with a no-scratch sponge to gently scrub the entire surface. Rinse with water and wipe with a dish towel.

**NOTE:** you may notice some brown spots on your sponge when you do this. Do not worry, it is perfectly normal. You are scrubbing off some of the patina that has built up over time. To further enhance the beauty of the finish and add an extra layer of protection from food related acids, this is a good time to use wax.

#### CARING FOR LIGHT SPOTS

• If something strips the patina, do not worry, your copper surface has a living finish. The patina will naturally regenerate with time. The best thing to do is clean the area with clear mild soap and no-scratch sponge to remove any remaining acid or chemical. Do not wax the sink until the spots have darkened back with natural patina. The more water and oxygen that come in contact with the raw spots, the faster they will patina. Waxing will slow the natural darkening process as it protects the surface from the environment. Use your sink as you normally would and you will notice the spots will darken and blend back into the sink.

#### **AVOID**

 All cleaning products that contain abrasives, ammonia, bleach, and alcohol. All will strip the patina and expose the raw copper.





#### Quartz Composite Sink Care & Maintenance

Quartz sinks are designed to meet the demands of modern living. Follow these general instructions to care for and maintain your quartz sink.

#### CLEANING

 Clean your quartz sink regularly using a non-abrasive sponge and dishwashing soap. Rinse and dry completely with a clean, soft cloth.

#### **SURFACE LUSTER**

 Clean, rinse and dry sink completely. To restore luster and extend the time between cleanings apply a thin, even coating of Quartz Sink Conditioner, food-safe mineral oil, or olive oil to the entire sink surface with a cloth. Remove excess with a cloth or leave overnight. Reapply as needed.

#### **REMOVE SCUFFS AND STAINS**

Use a magic eraser sponge to remove light scuffs, stains, and metallic marks.
 On stubborn areas use a soft scouring pad and mild abrasive cleaner (Soft Scrub® or Bar Keeper's Friend®). Clean, rinse and dry sink completely then apply Quartz Sink Conditioner.

#### SURFACE DEPOSITS

To remove hard water, calcium or lime use Lime Away® or CLR® cleaner.
 Alternatively use white vinegar on a paper towel and rinse after 20 minutes.

#### TIPS


- Quartz sinks are versatile and durable. However, no sink is scratch-proof.
   Take care when handling heavy objects and ceramicware in the sink. Use the optional protective bottom grids(s) and regularly clean the sink and apply Quartz Sink Conditioner or olive oil to ensure years of enjoyment and service in your home.
- Metallic surface marks occur when small amounts of metal from utensils
  and pots & pans are removed when rubbed across the high harness quartz
  surface. Such cosmetic marks are most visible on light colored sinks and
  can easily be removed with a magic eraser sponge. Use the optional
  protective bottom grids(s) and regularly clean the sink and apply Quartz
  Sink Conditioner or olive oil to ensure years of enjoyment and service in your
  home.

**DO NOT** use abrasive cleaners, abrasive scouring pads, metal-scouring pads, bleach or alkali cleaners such as ammonia, and do not use the sink for cleaning paint or grout materials. If you encounter staining liquids, such as dyes or juices, rinse off as soon as possible.

• If a color-matched disposal flange is installed it should be removed periodically and cleaned with a non-abrasive sponge and dishwasher soon.

# Kitchen • Bathroom • Sinks • Faucets <u>Tubs • Toilets • Vanities & More!</u>

## Visit Us @ DakotaSinks.com



## Also follow us online @dakotaplumbingproducts














Symbol Legend		
*	Kitchen Kit	
**	Bar Kit	
§	Copper Kit	
†	Special Order	
‡	Shown Cross Reference	
Ø	Diameter	

#### Return Policy

- RGA form must be completed and emailed before returning any products. Any missing information/signatures will cause delays.
- No merchandise is to be returned without an RGA Form completed.
- Returns must be made within 60 days of purchase and will be subject to a 15% restocking charge.
- · Customer is responsible for return shipping cost.
- · A copy of the original invoice must accompany all returns.
- This company reserves the right to give partial or no credit if the returned items/units are mishandled or not in original packaging.
- All Items must inspected before a credit can be processed.
- A credit memo will be issued within (30) days after return has been received and inspected.
- Credit will be applied to the original invoice of purchase, if invoice is paid for, then credit will be issue on the account.

All images for illustrative purposes only.

# **COLOR KEY**



FREE 877.692.2300

**\$** 954.987.3430

**7** 954.987.3434

info@dakotasinks.com
 info@dakotasinks.com

Visit Us @ DakotaSinks.com



# product catalog distributed by:

TOLL 877.692.2300







Follow Us @dakotaplumbingproducts











